GESTAR®

The Solution!

FASTENER DRIVE TOOL

Insert Bit / Power Bit

Impact Driver Bit / Bit Set







Magnetic Power Nutsetter – 1/4" Hex x 45mm L


Item No.	Hex Drive		KGS
Metric			
448-541	5.5 mm	50	0.9
448-542	6 mm	50	0.9
448-543	7 mm	50	0.9
448-544	8 mm	50	1.0
448-545	9 mm	50	1.0
448-546	10 mm	50	1.2
448-547	11 mm	50	1.5
448-548	12 mm	50	1.5
448-549	13 mm	30	0.9
448-550	14 mm	30	1.5
SAE			
448-502	1/4"	50	0.9
448-504	5/16"	50	1.0
448-506	3/8"	50	1.2
448-507	7/16"	50	1.5
448-509	1/2"	30	0.9
448-510	9/16"	30	1.5



Magnetic Power Nutsetter – 1/4" Hex x 65mm L

Item No.	Hex Drive		KGS
Metric			
448-561	5.5 mm	30	0.7
448-562	6 mm	30	0.7
448-563	7 mm	30	0.7
448-564	8 mm	30	0.8
448-565	9 mm	30	1.0
448-566	10 mm	30	1.0
448-567	11 mm	30	1.4
448-568	12 mm	30	1.4
448-569	13 mm	30	1.5
448-570	14 mm	30	1.7
SAE			
448-522	1/4"	30	0.7
448-524	5/16"	30	0.8
448-526	3/8"	30	1.0
448-527	7/16"	30	1.4
448-529	1/2"	30	1.5
448-530	9/16"	30	1.7

Ball-Lock Socket Adapter, Magnetic Bit Holder



Ball-Lock Socket Adapter - 1/4" Hex

Item No.	Square Drive	Overall Length		KGS
SAE				
448-581	1/4"	25 mm L	100	1.0
448-582	1/4"	50 mm L	50	0.8
448-583	1/4"	65 mm L	50	1.0
448-585	3/8"	50 mm L	50	1.4
448-586	3/8"	65 mm L	50	1.6
448-588	1/2"	72 mm L	25	1.0



One-Piece Stainless Steel Magnetic Bit Holder - 1/4" Hex

Item No.	Bit Drive	Overall Length		KGS
SAE				
448-941	1/4"	60 mm L	50	1.2
448-942	1/4"	75 mm L	50	1.7



Stainless Steel Housing Magnetic Bit Holder - 1/4" Hex

Item No.	Bit Drive	Overall Length		KGS
SAE				
448-961	1/4"	60 mm L	50	1.2
448-962	1/4"	75 mm L	50	1.6
448-963	1/4"	100 mm L	25	1.0
448-964	1/4"	150 mm L	25	1.3



Phillips



Slotted



Hex

Insert Bit – 1/4" Hex x 25mm L

Item No.	Tip Size		KGS
Phillips			
444-200	PH0	10	0.07
444-201	PH1	10	0.07
444-202	PH2	10	0.07
444-203	PH3	10	0.07
Slotted			
444-213	3 mm	10	0.07
444-214	4 mm	10	0.07
444-215	4.5 mm	10	0.07
444-216	5 mm	10	0.07
444-217	5.5 mm	10	0.07
444-218	6 mm	10	0.07
444-219	6.5 mm	10	0.07
444-220	7 mm	10	0.08
444-221	8 mm	8	0.09
444-222	10 mm	8	0.11
Hex – Metric			
444-245	1.5 mm	10	0.07
444-246	2 mm	10	0.07
444-247	2.5 mm	10	0.07
444-248	3 mm	10	0.07
444-249	4 mm	10	0.07
444-250	5 mm	10	0.08
444-251	5.5 mm	10	0.08
444-252	6 mm	10	0.08
444-253	7 mm	10	0.08
444-254	8 mm	8	0.08
444-255	10 mm	8	0.14
Hex – SAE			
444-231	1/16"	10	0.07
444-232	5/64"	10	0.07
444-233	3/32"	10	0.07
444-234	7/64"	10	0.07
444-235	1/8"	10	0.07
444-236	9/64"	10	0.07
444-237	5/32"	10	0.08
444-238	3/16"	10	0.08
444-239	7/32"	10	0.08
444-240	1/4"	10	0.08
444-242	5/16"	8	0.08
444-243	3/8"	8	0.14

Insert Bit – 25mm L



Hex Tamperproof



POZIDRIV®

Insert Bit – 1/4" Hex x 25mm L

Item No.	Tip Size		KGS
Hex Tamperproof – Metric			
444-285	1.5 mm	10	0.07
444-286	2 mm	10	0.07
444-287	2.5 mm	10	0.07
444-288	3 mm	10	0.07
444-289	4 mm	10	0.07
444-290	5 mm	10	0.08
444-291	5.5 mm	10	0.08
444-292	6 mm	10	0.08
444-293	7 mm	10	0.08
444-294	8 mm	8	0.08
444-295	10 mm	8	0.14
Hex Tamperproof – SAE			
444-271	1/16"	10	0.07
444-272	5/64"	10	0.07
444-273	3/32"	10	0.07
444-274	7/64"	10	0.07
444-275	1/8"	10	0.07
444-276	9/64"	10	0.07
444-277	5/32"	10	0.08
444-278	3/16"	10	0.08
444-279	7/32"	10	0.08
444-280	1/4"	10	0.08
444-281	5/16"	8	0.08
444-282	3/8"	8	0.14
POZIDRIV®			
444-340	PZ0	10	0.07
444-341	PZ1	10	0.07
444-342	PZ2	10	0.07
444-343	PZ3	10	0.07
444-344	PZ4	10	0.08

Insert Bit – 1/4" Hex x 25mm L



TORX®

TORX®

Item No.	Tip Size		KGS
444-301	T5	10	0.04
444-302	T6	10	0.04
444-303	T7	10	0.04
444-304	T8	10	0.04
444-305	T9	10	0.04
444-306	T10	10	0.04
444-307	T15	10	0.04
444-308	T20	10	0.05
444-309	T25	10	0.05
444-310	T27	10	0.05
444-311	T30	10	0.05
444-313	T40	10	0.06
444-314	T45	8	0.07
444-315	T50	8	0.08



TORX® Tamperproof

TORX® Tamperproof

444-321	T5	10	0.04
444-322	T6	10	0.04
444-323	T7	10	0.04
444-324	T8	10	0.04
444-325	T9	10	0.04
444-326	T10	10	0.04
444-327	T15	10	0.05
444-328	T20	10	0.05
444-329	T25	10	0.05
444-330	T27	10	0.05
444-331	T30	10	0.05
444-332	T35	10	0.06
444-333	T40	10	0.06
444-334	T45	8	0.07
444-335	T50	8	0.08

Insert Bit – 25mm L

Insert Bit – 1/4" Hex x 25mm L



TORQ-SET®

TORQ-SET®

Item No.	Tip Size		KGS
444-351	TS6	10	0.07
444-352	TS8	10	0.07
444-353	TS10	10	0.08



Spanner

Spanner®

444-355	SP4	10	0.07
444-356	SP6	10	0.07
444-357	SP8	10	0.07
444-358	SP10	10	0.07



TRI-WING®

TRI-WING®

444-361	TW1	10	0.07
444-362	TW2	10	0.07
444-363	TW3	10	0.07
444-364	TW4	10	0.07



Square Recess

Square Recess

444-370	S0	10	0.07
444-371	S1	10	0.07
444-372	S2	10	0.07
444-373	S3	10	0.07



Clutch C

Clutch C

444-381	C1 (1/8")	10	0.07
444-382	C2 (5/32")	10	0.07
444-383	C3 (3/16")	10	0.07



Spline

Spline

444-385	M5	10	0.07
444-386	M6	10	0.07
444-387	M8	10	0.08

Insert Bit – 5/16" Hex x 36mm L



Hex

Item No.	Tip Size		KGS
Abrasive Blasting			
Hex			
444-849	4 mm	10	0.12
444-850	5 mm	10	0.14
444-852	6 mm	10	0.15

Power Bit – 1/4" Hex x 50mm L



Phillips

Item No.	Tip Size		KGS
Phillips			
444-400	PH0	10	0.15
444-401	PH1	10	0.15
444-402	PH2	10	0.15
444-403	PH3	10	0.16
444-404	PH4	10	0.17

Round Shank Power Bit – 1/4" Hex x 50mm L



Phillips



Slotted

Item No.	Tip Size		KGS
Phillips			
444-600	PH0	10	0.15
444-601	PH1	10	0.15
444-602	PH2	10	0.15
444-603	PH3	10	0.16
444-604	PH4	10	0.17
Slotted			
444-613	3 mm	10	0.14
444-614	4 mm	10	0.14
444-615	4.5 mm	10	0.14
444-616	5 mm	10	0.14
444-618	6 mm	10	0.14
444-620	7 mm	10	0.15
444-621	8 mm	8	0.16
444-622	10 mm	8	0.23

Power Bit – 50mm L



Hex



TORX® Tamperproof

Round Shank Power Bit – 1/4" Hex x 50mm L

Item No.	Tip Size		KGS
Hex – Metric			
444-645	1.5 mm	10	0.14
444-646	2 mm	10	0.14
444-647	2.5 mm	10	0.14
444-648	3 mm	10	0.14
444-649	4 mm	10	0.14
444-650	5 mm	10	0.14
444-651	5.5 mm	10	0.14
444-652	6 mm	10	0.14
444-653	7 mm	10	0.15
444-654	8 mm	8	0.16
444-655	10 mm	8	0.24
Hex – SAE			
444-631	1/16"	10	0.14
444-632	5/64"	10	0.14
444-633	3/32"	10	0.14
444-634	7/64"	10	0.14
444-635	1/8"	10	0.14
444-636	9/64"	10	0.14
444-637	5/32"	10	0.14
444-638	3/16"	10	0.14
444-639	7/32"	10	0.14
444-640	1/4"	10	0.15
444-641	9/32"	10	0.15
444-642	5/16"	8	0.16
444-643	3/8"	8	0.24
TORX® Tamperproof			
444-726	T10	10	0.14
444-727	T15	10	0.14
444-728	T20	10	0.14
444-729	T25	10	0.14
444-730	T27	10	0.15
444-731	T30	10	0.15
444-733	T40	10	0.16
444-734	T45	8	0.21
444-735	T50	8	0.21

Power Bit – 50mm L / 150mm L, Double End Power Bit

Round Shank Power Bit – 1/4" Hex x 100mm L



Item No.	Tip Size	Overall Length		KGS
Abrasive Blasting				
Hex				
444-675	5 mm	100 mm L	10	0.25

Magnetic Ball End Power Bit – 1/4" Hex x 150mm L



Item No.	Tip Size	Overall Length		KGS
Abrasive Blasting				
444-685	5 mm	150 mm L	10	0.35

Double End Power Bit – 1/4" Hex



Phillips

Item No.	Tip Size	Overall Length		KGS
Phillips				
448-649	PH1	45 mm L	10	0.09
448-650	PH2	45 mm L	10	0.09
448-648	PH1	65 mm L	10	0.15
448-651	PH2	65 mm L	10	0.15
448-652	PH3	65 mm L	10	0.15
448-659	PH2	110 mm L	10	0.27
448-653	PH3	110 mm L	10	0.27
448-660	PH2	150 mm L	10	0.37
448-655	PH3	150 mm L	10	0.37




Phillips

Abrasive Blasting				
Phillips				
448-671	PH2	75 mm L	10	0.20
448-674	PH2	100 mm L	10	0.30



Phillips



Slotted

Impact Driver Bit – 5/16" Hex x 36mm L

Item No.	Tip Size		KGS
Phillips			
448-361	PH1	10	0.15
448-362	PH2	10	0.15
448-363	PH3	10	0.15
448-364	PH4	10	0.15
Slotted			
448-368	8 mm	10	0.14
448-370	10 mm	10	0.20
448-371	12 mm	10	0.30



Phillips



Slotted

Impact Driver Bit – 5/16" Hex x 80mm L

Item No.	Tip Size		KGS
Phillips			
448-801	PH1	10	0.35
448-802	PH2	10	0.35
448-803	PH3	10	0.35
448-804	PH4	10	0.35
Slotted			
448-808	8 mm	10	0.35
448-810	10 mm	10	0.45



Phillips

Impact Driver Bit – 5/16" Hex x 80mm L

Item No.	Tip Size		KGS
Abrasive Blasting Phillips			
448-832	PH2	10	0.40
448-833	PH3	10	0.35

5 Pc. CrV Impact Driver Set with Bits



Blow Mold Box

Item No.		KGS
448-106	1	1.0

- Impact Driver Handle
- 4 Impact Drive Bits : (5/16" Hex x 80mm L)
  - Phillips : PH2, PH3
  - Slotted : 8mm, 10mm

5 Pc. Impact Driver Set with Bits



Blow Mold Box

Item No.		KGS
448-005	1	0.9

- Impact Driver Handle
- 4 Impact Drive Bits : (5/16" Hex x 36mm L)
  - Phillips : PH2, PH3
  - Slotted : 8mm, 10mm

14 Pc. Impact Driver Set with Bits



Blow Mold Box

Item No.		KGS
448-014	1	1.3

- Impact Driver Handle
- 3/8" Drive Adapter : (3/8" Hex x 30mm L)
- 12 Impact Drive Bits : (5/16" Hex x 36mm L)
  - Phillips : PH1, PH2, PH3, PH4
  - Slotted : 5mm, 6mm, 8mm, 10mm
  - Hex : 4mm, 5mm, 6mm, 8mm

40 Pc. Impact Driver Bit Set



Blow Mold Box

Item No.		KGS
448-040	1	1.8

- 2 Impact Bit Holders : 3/8" Dr. x 10mm Hex
  1/2" Dr. x 10mm Hex
- 19 Impact Driver Bits : 10mm Hex x 75mm L
  - Hex : 4, 5, 6, 7, 8, 10, 12 mm
  - Spline : M5, M6, M8, M10, M12
  - TORX® Tamperproof : T20, T25, T30, T40, T45, T50, T55
- 19 Impact Driver Bits : 10mm Hex x 30mm L
  - Hex : 4, 5, 6, 7, 8,10,12 mm
  - Spline : M5, M6, M8, M10, M12
  - TORX® Tamperproof : T20, T25, T30, T40, T45, T50, T55


Fastener Drive Set



31 Pc. Screwdriver Bit Set

Item No.		KGS
444-001	6	0.38

- Screwdriver Bit Holder
- Adapter : 1/4" Hex x 25mm L
- 29 Insert Bits : (1/4" Hex x 25mm L)
  - POZIDRIV® : PZ0, PZ1, PZ2, PZ3
  - Phillips : PH0, PH1, PH2, PH2, PH2, PH3
  - Hex : 2, 3, 4, 5, 6 mm
  - Slotted : 3, 4, 5, 6, 7 mm
  - TORX® : T6, T8, T10, T15, T20, T25, T27, T30, T40



31 Pc. Screwdriver Bit Set

Item No.		KGS
444-002	6	0.38

- Screwdriver Bit Holder
- Adapter : 1/4" Hex x 25mm L
- 29 Insert Bit : (1/4" Hex x 25mm L)
  - Spline : M5, M6, M8
  - TORQ-SET® : TS6, TS8, TS10
  - TRI-WING® : TW1, TW2, TW3, TW4
  - Hex Tamperproof : 2, 2.5, 3, 4, 5, 6 mm
  - Spanner : SP4 , SP6, SP8, SP10
  - TORX® Tamperproof : T6, T8, T10, T15, T20, T25, T27, T30, T40

61 Pc. 1/4" Dr. Socket & Bit Set

Item No.		KGS
487-011	1	1.2



Blow Mold Box

- 12 Metric Sockets : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 10 SAE Sockets : 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 35 Insert Bits : (1/4" Hex x 25mm L)
  - Slotted : 3, 4, 5, 6, 7 mm
  - Phillips : PH0, PH1, PH2, PH2, PH3
  - POZIDRIV® : PZ0, PZ1, PZ2, PZ2, PZ3
  - Hex : 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
  - TORX® Tamperproof : T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40
- Flexible Ratchet Screwdriver Handle
- Extension : 3"
- Magnetic Bit Holder : 1/4" Hex x 60mm L
- Adapter : 1/4" Hex x 1/4" Sq.

100 Pc. Screwdriver Bit Set

Item No.		KGS
499-061	1	0.8



Blow Mold Box

- Magnetic Bit Holder : 1/4" Hex Dr. x 1/4" Hex Holder x 60mm L
- 2 Socket Adapters : 1/4" Sq. Dr. & 1/4" Hex x 25mm L
  1/4" Sq. Dr. & 1/4" Hex x 50mm L
- Bit Adapter : 1/4" Dr. x 1/4" Hex
- Y Type Spanner
- 95 Insert Bits , 1/4" Hex x 25mm L
  - Phillips : PH0, PH1, PH2, PH2, PH2, PH2, PH2, PH3
  - POZIDRIV® : PZ0, PZ1, PZ2, PZ2, PZ2, PZ2, PZ2, PZ3
  - Slotted : 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm
  - TORX® : T8, T10, T15, T20, T25, T27, T30, T40, T45
  - TORX® Tamperproof : T8, T10, T15, T20, T25, T27, T30, T35, T40
  - Hex : 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 mm
  - Hex : 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
  - Hex Tamperproof : 2, 2.5, 3, 4, 5, 6 mm
  - Hex Tamperproof : 5/64", 3/32", 7/64", 1/8", 9/64", 5/32"
  - Spanner : SP4, SP6, SP8, SP10
  - TRI-WING® : TW1, TW2, TW3, TW4
  - TORQ-SET® : TS6, TS8, TS10
  - Square Recess : S0, S1, S2, S3
  - Spline : M5, M6, M8
  - Clutch C : C1, C2, C3